

BID FORM

Submitted To: Fulton County Government

Submitted By: _____

For: **21ITB012221K-CRB: Standby Sewer Rehabilitation Services – Wastewater system**

Submitted on _____, 20__

The undersigned, as Bidder, hereby declares that the only person or persons interested in the Bid as principal or principals is or are named herein and that no other person than herein mentioned has any interest in this Bid or in the Contract to be entered into; that this Bid is made without connection with any other person, company or parties making a Bid; and that it is in all respects fair and in good faith without collusion or fraud.

The Bidder further declares that he has examined the site of the work and informed himself fully in regard to all conditions pertaining to the place where the work is to be done; that he has examined the Drawings and Specifications for the work and contractual documents relative thereto, and has read all instructions to Bidders and General Conditions furnished prior to the openings of bids; that he has satisfied himself relative to the work to be performed.

The Bidder proposes and agrees, if this Bid is accepted, to contract with the Board of Commissioners of Fulton County, Atlanta, Georgia, in the form of contract specified, to furnish all necessary materials, equipment, machinery, tools, apparatus, means of transportation and labor necessary, and to complete the construction of the work in full and complete accordance with the shown, noted, and reasonably intended requirements of the Specifications and Contract Documents to the full and entire satisfaction of the Board of Commissioners of Fulton County, Atlanta, Georgia, with a definite understanding that no money will be allowed for extra work except as set forth in the attached General Conditions and Contract Documents for the following prices.

THE BASE BID IS THE AMOUNT UPON WHICH THE BIDDER WILL BE FORMALLY EVALUATED AND WHICH WILL BE USED TO DETERMINE THE LOWEST RESPONSIBLE BIDDER.

The base bid may not be withdrawn or modified for a period of sixty (60) days following the receipt of bids.

BASE BID AMOUNT (Do not include any Bid Alternates)

\$ _____
(Dollar Amount In Numbers)

(Dollar Amount in Words)

The Bidder agrees hereby to commence work under this Contract, with adequate personnel and equipment, on a date to be specified in a written “Notice to Proceed” from the County.

The Bidder declares that he understands that the quantities shown for the unit prices items are subject to either increase or decrease, and that should the quantities of any of the items of work be increased, the Bidder proposes to do the additional work at the unit prices stated herein; and should the quantities be decreased, the Bidder also understands that payment will be made on the basis of actual quantities at the unit price bid and will make no claim for anticipated profits for any decrease in quantities; and that actual quantities will be determined upon completion of work, at which time adjustments will be made to the contract amount by direct increase or decrease.

BASE BID AMOUNT

Bidder submits the following lump sum/unit prices for the Construction and 2021 Rehabilitation Wastewater System Service an Annual Contract Base Bid identified in Bid Form as part of this Bid. Work included within each Bid Item in the Bid Schedule is described in Measurement and Payment. The unit prices quoted shall be valid for all unit standalone work as well as up to innumerable units covering any scope of project requested to perform as urgent work assignments.

Bid Item	Description	Units	Approx. Annual Quantity	Unit Price	Total Price
1	Contractor Mobilization				
	Project less than \$25,000	EA	5		
	Project \$25,000 to \$75,000	EA	10		
	Project Greater Than \$75,000	EA	7		
2	Cast-in-Place Concrete				
	Class A	CY	25		
	Class B	CY	50		
3	Clearing and Grubbing	SY	200		
4	Orange Barrier Fence	LF	1,000		
5	Rock Excavation	CY	1,500		
6	Additional Bedding	CY	1,500		
7	Crusher Run Backfill	CY	100		
8	Erosion and Sedimentation Control				
	Hay Bales	EA	300		
	Inlet Sediment Trap	EA	10		
	Jute Matting or Excelsior Netting	SY	500		
	Rock Check Dam	EA	5		
	Silt Fence Type 'A'	LF	1,000		
	Silt Fence Type 'C'	LF	5,000		
	Dry Straw or Hay Mulch	SY	2,000		
	Temporary Seeding and Mulch	SY	5,000		

9	Rip Rap	SY	500		
10	Asphalt Resurfacing	SY	2,000		
11	Sidewalk Restoration	LF	500		
12	Curb/Combination Curb & Gutter Restoration	LF	200		
13	Permanent Seeding	SY	5,000		
14	Sod Removal and Replacement	SY	1,500		
15	Topsoil	CY	500		
16	Tree Replacement				
	Hardwoods, 2"	EA	5		
	Pines, 2"	EA	5		
	Riverside, 2"	EA	5		
17	Manhole Invert Rehabilitation	EA	5		
18	Relining Sewers (Slip Lining w/HDPE)				
	8"	LF	100		
	10"	LF	100		
	12"	LF	100		
	16"	LF	100		
	18"	LF	100		
	20"	LF	100		
	24"	LF	100		
	30"	LF	100		
	36"	LF	50		
	42"	LF	50		
	48"	LF	50		
19	Pipe Bursting Including Bursting of Existing Pipe and Pulling Through of HDPE Insertion Pipe				
	8"	LF	100		
	10"	LF	100		
	12"	LF	100		
	16"	LF	100		
	18"	LF	100		
	20"	LF	100		
	24"	LF	100		
	30"	LF	100		
	36"	LF	100		
	42"	LF	100		
	48"	LF	100		
20	Service Connections	EA	25		
21	CIPP (Cured-In-Place Pipe) (Using UV) (Use Saertex or Better)				
	8"	LF	100		
	10"	LF	100		
	12"	LF	100		
	16"	LF	100		
	18"	LF	100		
	20"	LF	100		
	24"	LF	100		

	30"	LF	100		
	36"	LF	100		
22	Bypass Pumping				
	0-200 Gallons Per Minute	HR	40		
	201-400 Gallons Per Minute	HR	40		
	400-600 Gallons Per Minute	HR	40		
	601-800 Gallons Per Minute	HR	40		
	801-1000 Gallons Per Minute	HR	40		
	1001-2000 Gallons Per Minute	HR	40		
	2001-3000 Gallons Per Minute	HR	40		
	3001-4000 Gallons Per Minute	HR	40		
	4001- 5000 Gallons Per Minute	HR	25		
	5001-6000 Gallons Per Minute	HR	25		
	6001-7000 Gallons Per Minute	HR	25		
	7001-8000 Gallons Per Minute	HR	25		
	8001-9000 Gallons Per Minute	HR	25		
	9001-10000 Gallons Per Minute	HR	25		
	Discharge Line for 6 ≤" Pump	LF	1,500		
	Discharge Line for 8 ≥" Pump	LF	500		
23	Doghouse Manhole 48"diameter	EA	5		
24	Manhole				
24A	48" Dia. Manhole (Base, Barrels and Cone)	VF	500		
24B	Manhole Frame and Cover				
	Type A	EA	25		
	Type B	EA	10		
24C	Manhole Outside Drops				
	8",10",or 12" Pipe	VF	24		
	16",18",or 20" Pipe	VF	8		
	24",30",or 36" Pipe	VF	8		
24D	Manhole Coring				
	24" or less	EA	10		
	30"or 36"	EA	5		
	42" or 48"	EA	5		
25	Adjust Manhole Barrel	VF	20		
26	Adjust Manhole Cone	EA	20		
27	Adjust Manhole Frame and Covers to Grade				
	1 Vertical ft. or less, Non-pavement	EA	20		
	1 Vertical ft. or less, pavement	EA	20		
28	Air Release Manhole Vent	EA	5		
29	Steel Casing, Bore & Jack Installation				
	8" Diameter	LF	100		
	12" Diameter	LF	200		
	16" Diameter	LF	500		
	20" Diameter	LF	500		
	24" Diameter	LF	500		

	30" Diameter	LF	200		
	36" Diameter	LF	200		
	42" Diameter	LF	100		
	48" Diameter	LF	100		
	60" Diameter	LF	100		
30	Steel Casing, Open Cut Installation				
	8" Diameter	LF	100		
	12" Diameter	LF	200		
	16" Diameter	LF	500		
	20" Diameter	LF	500		
	24" Diameter	LF	500		
	30" Diameter	LF	500		
	36" Diameter	LF	200		
	42" Diameter	LF	100		
	48" Diameter	LF	100		
	60" Diameter	LF	100		
31	Air Release and Vacuum Valve Assemblies/Valve Assemblies				
	2"	EA	2		
	3"	EA	2		
	4"	EA	2		
	6"	EA	2		
	8"	EA	2		
32	Sanitary Utility Sewerage Piping				
32A	8" PVC Pipe(C900, 250 psi), Depth of Cut				
	0' to 7.99'	LF	1,000		
	8.00' to 9.99'	LF	3,000		
	10.00' to 11.99'	LF	3,000		
	12.00' to 13.99'	LF	1,000		
	14.00' to 15.99'	LF	1,000		
	16.00' to 17.99'	LF	500		
	18.00' to 19.99'	LF	250		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		
32B	12" to 18" PVC Pipe(C900, 250 psi), Depth of Cut				
	0' to 7.99'	LF	1,000		
	8.00' to 9.99'	LF	2,000		
	10.00' to 11.99'	LF	2,000		
	12.00' to 13.99'	LF	1,000		
	14.00' to 15.99'	LF	500		
	16.00' to 17.99'	LF	250		
	18.00' to 19.99'	LF	100		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		
32C	24" to 30" PVC Pipe(C900, 250 psi), Depth of Cut				
	0' to 7.99'	LF	500		
	8.00' to 9.99'	LF	1,000		
	10.00' to 11.99'	LF	1,000		

	12.00' to 13.99'	LF	500		
	14.00' to 15.99'	LF	250		
	16.00' to 17.99'	LF	100		
	18.00' to 19.99'	LF	100		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		
32D	30" to 36" PVC Pipe(C900, 250 psi), Depth of Cut				
	0' to 7.99'	LF	1,000		
	8.00' to 9.99'	LF	2,000		
	10.00' to 11.99'	LF	2,000		
	12.00' to 13.99'	LF	1,000		
	14.00' to 15.99'	LF	500		
	16.00' to 17.99'	LF	500		
	18.00' to 19.99'	LF	100		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		
33	Ductile Iron Pipe				
33A	8" DIP, Pressure Class 250, Depth of Cut				
	0' to 7.99'	LF	1,000		
	8.00' to 9.99'	LF	2,000		
	10.00' to 11.99'	LF	2,000		
	12.00' to 13.99'	LF	1,000		
	14.00' to 15.99'	LF	500		
	16.00' to 17.99'	LF	250		
	18.00' to 19.99'	LF	100		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		
33B	12" to 18" DIP, Pressure Class 250, Depth of Cut				
	0' to 7.99'	LF	500		
	8.00' to 9.99'	LF	1,000		
	10.00' to 11.99'	LF	1,000		
	12.00' to 13.99'	LF	500		
	14.00' to 15.99'	LF	250		
	16.00' to 17.99'	LF	100		
	18.00' to 19.99'	LF	100		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		
33C	24" to 30" DIP, Pressure Class 250, Depth of Cut				
	0' to 7.99'	LF	1,000		
	8.00' to 9.99'	LF	1,000		
	10.00' to 11.99'	LF	1,000		
	12.00' to 13.99'	LF	500		
	14.00' to 15.99'	LF	250		
	16.00' to 17.99'	LF	100		
	18.00' to 19.99'	LF	100		
	20.00' to 21.99'	LF	100		
	22.00' to 24.00'	LF	100		

33D	30" to 36" DIP, Pressure Class 250, Depth of Cut			
	0' to 7.99'	LF	500	
	8.00' to 9.99'	LF	1,000	
	10.00' to 11.99'	LF	1,000	
	12.00' to 13.99'	LF	500	
	14.00' to 15.99'	LF	250	
	16.00' to 17.99'	LF	100	
	18.00' to 19.99'	LF	100	
	20.00' to 21.99'	LF	100	
	22.00' to 24.00'	LF	100	
34	Sanitary Utility Sewage, Pressure Class 250 DIP			
	8"	LF	2,000	
	8" Restrained Joint Pipe	LF	1,000	
	Protecto 401 (or equal), as an Extra	LF	250	
	12"	LF	500	
	12" Restrained Joint Pipe	LF	250	
	Protecto 401 (or equal), as an Extra	LF	50	
	16"	LF	200	
	16" Restrained Joint Pipe	LF	100	
	Protecto 401 (or equal), as an Extra	LF	50	
	24"	LF	200	
	24" Restrained Joint Pipe	LF	100	
	Protecto 401 (or equal), as an Extra	LF	50	
	30"	LF	200	
	30" Restrained Joint Pipe	LF	100	
	Protecto 401 (or equal), as an Extra	LF	50	
	36"	LF	200	
	36" Restrained Joint Pipe	LF	100	
	Protecto 401 (or equal), as an Extra	LF	50	
35	Service Line Reconnection			
35A	By excavation for HDPE, pipe bursting or CIPP 0.0 – 12.0 Foot Depth	LF	40	
35B	By excavation for HDPE, pipe bursting, or CIP Greater Than 12.0 Foot Dept.	LF	20	
35C	By internal reinstatement for CIPP	LF	20	
36	4-Foot Diameter Manhole Rehabilitation-Spray on Cementious Liner With Epoxy (Epoxy Tech or Better)			
36A	0.0 – 6.0 Foot Manhole Depth	VF	200	
36B	6.1 -12.0 Foot Manhole Depth	VF	200	

36C	12.1 – 18.0 Foot Manhole Depth	VF	100		
36D	18.1 – 24.0 Foot Manhole Depth	VF	100		
36E	Greater than 24.0 Foot Manhole Depth	VF	80		
37	6-INCH SEWER SERVICE CONNECTIONS				
37Aa	On Existing Sewer Main – 0 – 12.0 Foot Depth	LF	300		
37A	On Existing Sewer Main – 12.1 – 18.0 Foot Depth	LF	300		
37B	On Existing Sewer Main – 18.1 – 25.0 Foot Depth	LF	100		
37C	On Existing Sewer Main – Greater than 25.0 Foot Depth	LF	100		
37D	From New Manhole 0.0 – 6.0 Foot Depth	LF	50		
37E	From New Manhole 6.1 – 12.0 Foot Depth	LF	50		
37F	From New Manhole 12.1 – 18.0 Foot Depth	LF	50		
37G	From New Manhole 18.1 – 25.0 Foot Depth	LF	50		
37H	From New Manhole Greater than 25 Foot Depth	LF	20		
37I	From Existing Manhole – 0.0 -6.0 Foot Depth.	LF	20		
37J	From Existing Manhole 6.1 – 12.0 Foot Depth	LF	20		
37K	From Existing Manhole 12.1 – 18.0 Foot Depth	LF	20		
37L	From Existing Manhole 18.1 – 25.0 Foot Depth	LF	20		
37M	From Existing Manhole –Greater than 25.0 Foot Depth	LF	20		
38	Driveway and Road Repair and Replacement				
38A	Gravel Driveway Replacement	SY	50		
38B	Asphalt Driveway Replacement	SY	50		
38C	Concrete Driveway Replacement-Residential	SY	100		
38D	Concrete Driveway Replacement-Commercial	SY	100		
38E	Concrete Sidewalk	SY	100		
38F	Concrete Curb and Gutter	LF	200		
38G	Asphalt Pavement Removal and Replacement (Type A Cut Repair)	SY	500		
38H	Complete Fulton County Standard Utility Cut (Type C Cut Repair)	SY	2,000		

38I	Road Resurface Milling less than 50 SY	SY	1,000		
38J	Road Surface milling 50 SY to 200 SY	SY	1,000		
38K	Road Resurface Milling more than 200 SY	SY	8,000		
38L	Road Surface Overlay	SY	10,000		
39	Traffic Control As Ordered by the Engineer				
39A	Std. DOT Concrete Barrier	LF	400		
39B	MUTCD Std. Safety Barrier	Each /Day	20		
39C	Police Cruiser	HR	80		
39D	Certified Flagman	HR	80		
39E	Light Plant	HR	80		
39F	Electronic Message Board	Day	10		
40	Remove and Replace Existing Fence				
40A	4-Foot High Chain Link	LF	40		
40B	6-Foot High Chain Link	LF	20		
40C	6-Foot High Wood	LF	20		
41	CCTV				
41A	Pre-installation CCTV 8 inch to 20 inch diameter pipe	LF	5,000		
41B	Pre-installation CCTV 20 inch to 36 inch diameter pipe	LF	5,000		
41C	Pre-installation CCTV Above 36 inch diameter pipe	LF	5,000		
41D	Post-installation CCTV 8 inch to 20 inch diameter pipe on new pipe	LF	5,000		
41E	Post-installation CCTV 20 inch to 36 inch diameter pipe on new pipe	LF	5,000		
41F	Post-installation CCTV Above 36 inch diameter pipe on new pipe	LF	5,000		
42	Utility Location- Excavation and Backfill				
42A	Soft Dig Hydro Excavation	HR	60		
42B	Exploratory Excavation	CY	200		
Emergency Service/Non-Emergency					
<p>The following labor and equipment are included for when the County needs manpower or additional equipment to assist in making emergency repairs other than those specified above as unit price items. Hourly rate items below shall NOT apply when work is performed under non-emergency conditions. Once an emergency condition has ended, work will proceed based upon unit price line items. A Notice to Proceed for each phase of the project will indicate emergency or non-emergency project status.</p>					
43	Emergency Service				
	Sewer Superintendent	HR	20		
	Sewer Crew Truck-Fully Equipped with tools and repair	HR	40		

	parts including but not limited to pipe saw, wacker-packer, chain saw, and miscellaneous hand tools, including sewer foreman and three laborers.				
	Rubber Tired Front End Loader With Trailer and Operator.	HR	40		
	Rubber Tired Front End Loader with Trailer Operator	HR	40		
	Excavator With Trailer and Operator	HR	40		
	Trench Compactor With Operator	HR	20		
	Mobile Air compressor With Hoses and Air Tools (Jackhammer, Pavement Breaker, Clay Spade, etc.)	HR	20		
44	Non-Emergency Service				
	Sewer Superintendent	HR	20		
	Sewer Crew Truck-Fully Equipped with tools and repair parts including but not limited to pipe saw, wacker-packer, chain saw, and miscellaneous hand tools, including sewer foreman and three laborers.	HR	40		
	Rubber Tired Front End Loader With Trailer and Operator.	HR	40		
	Rubber Tired Front End Loader with Trailer Operator	HR	40		
	Excavator With trailer and Operator	HR	40		
	Trench Compactor With Operator	HR	20		
	Mobile Air Compressor With Hoses and Air Tools (Jackhammer, Pavement Breaker, Clay Spade, etc.)	HR	20		
45	Cash Allowances				
45A	Soils, Concrete, Asphalt, and Material Testing	LS	10,000	1	
45B	Utility Conflict Resolution	LS	10,000	1	

The Bidder furthermore agrees that, in the case of a failure on his part to execute the Contract Agreement and Bonds within ten days after receipt of conformed contract documents for execution, the Bid Bond accompanying his bid and the monies payable thereon shall be paid into the funds of the Owner as liquidated damages for such failure. Enclosed is a Bid Bond in the approved form, in the sum of:

_____ Dollars

(\$_____) according to the conditions of "Instructions to Bidders" and provisions thereof.

The undersigned acknowledges receipt of the following addenda (list by the number and date appearing on each addendum) and thereby affirms that its Bid considers and incorporates any modifications to the originally issued Bidding Documents included therein.

ADDENDUM #	_____	DATED	_____
ADDENDUM #	_____	DATED	_____
ADDENDUM #	_____	DATED	_____
ADDENDUM #	_____	DATED	_____

BIDDER: _____

Signed by: _____

[Type or Print Name]

Title: _____

Business Address: _____

Business Phone: _____

Note: If the Bidder is a corporation, the Bid shall be signed by an officer of the corporation; if a partnership, it shall be signed by a partner. If signed by others, authority for signature shall be attached.

The full name and addresses of persons or parties interested in the foregoing Bid, as principals, are as follows:

Name	Address
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

END OF SECTION