


DOOR SCHEDULE													
DOOR					DOOR SCHEDULE								
DOOR NO.	TYPE	MATERIAL	WIDTH	HEIGHT	THICKNESS	DOOR RATING	TYPE	MATERIAL	FRAME RATING	HEAD	JAMB	HDW SET	REMARKS
M100	STOREFRONT	ALUM	(2) 3'-0"	7'-0"			STOREFRONT	ALUM				1	SEE A-2404 FOR CURTAIN WALL DOOR AND DETAILS. & NOTE 3
M100A	STOREFRONT	ALUM	(2) 3'-0"	7'-0"			STOREFRONT	ALUM				2	
A100	G	WD	3'-0"	7'-0"	1 3/4"	45 MIN	F8	HM	60 MIN	4/A-9501	5/A-9501	16	
A101	F	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20	
A102	N	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	18	
A103	F	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	17	
A104	F	HM	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20	
A105	F	HM	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	19	
A107	F	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20	
A108A	N	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20A	SEE SHEET A-2403 FOR STOREFRONT FRAME
A108B	G	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	1/A-9501	2/A-9501	20C	NOTE 3
A109A	G2	ALUM	3'-0"	7'-0 1/4"	1 3/4"	-	12/A-2403	ALUM	-	1/A-9601	1/A-9601	14	
A109B	N	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20A	
A109C	G	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	1/A-9501	2/A-9501	20C	NOTE 3
A112	N	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20	
A113A	N	HM	3'-0"	7'-0"	1 3/4"	45 MIN	F1	HM	60 MIN	2/A-9601	2/A-9601	9	
A113B	N	HM	3'-0"	7'-0"	1 3/4"	45 MIN	F2	HM	60 MIN	A.1 SIM	A.1 SIM	12	NOTE 3
A114	N	WD	3'-0"	7'-0"	1 3/4"	-	F1	HM	-	2/A-9601	2/A-9601	20	
A115	F	HM	3'-0"	7'-0"	1 3/4"	45 MIN	F1	HM	60 MIN	2/A-9601	2/A-9601	13	NOTE 3
C100	N	FRP	3'-0"	7'-2"	1 3/4"	-	F2	ALUM	-	1/A-9501	2/A-9501	7A	
C100A	N	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	3/A-9501	6/A-9501	20C	
C100B	OHC	ALUM	14'-0"	14'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
C101	N	FRP	3'-0"	7'-2"	1 3/4"	-	F2	ALUM	-	1/A-9501	2/A-9501	7A	
C101A	N	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	3/A-9501	6/A-9501	20C	NOTE 3
C101B	OHC	ALUM	8'-0"	14'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
C102	G	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	3/A-9501	6/A-9501	20C	NOTE 3
C104	N	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	7	NOTE 3
C104A	OHC	ALUM	8'-0"	8'-8"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
C105	N	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	3	NOTE 3
C105A	N	FRP	3'-0"	7'-0"	1 3/4"	45 MIN	F2	ALUM	60 MIN	3/A-9501	3/A-9501	11	SEE SHEET A-2403 FOR STOREFRONT FRAME
C105B	N	FRP	3'-0"	7'-0"	1 3/4"	45 MIN	F2	HM	60 MIN	A.1 SIM	A.1 SIM	4	SEE SHEET A-2403 FOR STOREFRONT FRAME
M101	F	HM	3'-0"	7'-0"	1 3/4"	45 MIN	F2	HM	60 MIN	A.1 SIM	A.1 SIM	10	NOTE 3
M102	F	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	21	
M103	N	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	20C	NOTE 3
M104	F	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	19A	
M105	F	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	21	
M106	N	FRP	3'-0"	7'-0"	1 3/4"	45 MIN	F2	ALUM	60 MIN	3/A-9501	6/A-9501	8	
M106A	N	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	3A	
M108	F	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	3/A-9501	6/A-9501	20C	NOTE 3
M108A	F	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	5A	
M109	N	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	9/A-9501	11/A-9501	20C	NOTE 3
M109A	N	FRP	3'-0"	7'-2"	1 3/4"	-	F2	ALUM	-	1/A-9501	2/A-9601	7A	
M109B	OHC	ALUM	10'-0"	10'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
M109C	N	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	9/A-9501	11/A-9501	20D	
M109D	N	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	20C	NOTE 3
M110	N	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	20E	
M110A	N	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	20B	
M111	OHC	ALUM	10'-0"	10'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
M111A	N	FRP	3'-0"	7'-2"	1 3/4"	-	F2	ALUM	-	2/A-9601	2/A-9601	7A	
M111B	N	HM	3'-0"	7'-0"	1 3/4"	-	F2	HM	-	9/A-9501	11/A-9501	21A	
M112	OHC	ALUM	10'-0"	8'-8"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
P100	N	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	7A	
P100A	OHC	ALUM	11'-4"	10'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
P100B	F	FRP	3'-0"	7'-0"	1 3/4"	-	F2	ALUM	-	3/A-9501	6/A-9501	20C	NOTE 3
P101	N	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	7A	
P101B	OHC	ALUM	16'-0"	12'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
P101C	OHC	ALUM	16'-0"	12'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
P101D	OHC	ALUM	16'-0"	12'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
P101E	OHC	ALUM	16'-0"	12'-0"	2"	-	OHC	GALV	-	OH.1 SIM	OH.1 SIM		
P101F	N	FRP	3'-0"	7'-0"	1 3/4"	-	F5	ALUM	-	1/A-9501	2/A-9501	7A	


- NOTES:
 1. REFER TO SHEETS A-9501 AND A-9601 FOR HEAD/JAMB DETAILS.
 2. REFER TO SHEET A-9601 FOR DOOR AND FRAME ELEVATIONS
 3. COORDINATE CARD KEY LOCKING DEVICE HARDWARE WITH OWNER AND SECURITY VENDOR.

TETRA TECH



www.tetrattech.com
 101 QUALITY CIRCLE, SUITE 140
 HUNTSVILLE, ALABAMA 35896
 PHONE: (256) 424-4077 FAX: (256) 424-4087

BID SET



BY

DESCRIPTION

DATE

MARK

HUNTSVILLE UTILITIES
 SOUTHEAST WATER TREATMENT PLANT

DOOR SCHEDULE

Project No.: 200-11740-10003
 Designed By: Q.BIAGI
 Drawn By: S.SWEARER
 Checked By: D.GALANTE

A-2601